



*Image for illustrative purpose only*

## Summary

[Request a quote](#)

[Catalog](#)

Number of contacts Low Voltage	1
Jacket cable outside diameter [mm]	1.00 - 20.00 mm
Size	3P
Series	REDEL P - Push-Pull

[https://www.lemo.com/int\\_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html](https://www.lemo.com/int_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html)

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

# Technical details

## Electrical Configuration

Contact Termination Low voltage	Crimp
Contact Dia.	0.9
Number of contacts Low Voltage	1

## Form & Material

Shell style / Model id	EG - Female earthing contact for REDEL 3P series
Keying	No keying
Weight	0.46 g

## Environment

Technical domain	Energy and Industrial, Medical, Test and Measurement, Transportation, Aerospace and UAV
Environmental sealing (IP rating)	No IP rating
Temperature range	-50°C / +150°C
F ret (max)	200 N
F ret (min)	100 N
Steam sterilization	Fully sterilizable (Steam, Gamma, ETO) following our protocols and tests in line with ISO 11134 and IEC 60601-1 standards. For more details on sterilization methods and cycles, please contact us.

## Cable fixation

Jacket cable outside diameter [mm]	1.00 - 20.00 mm
------------------------------------	-----------------

# Drawings



No keying

## Dimensions

	A	C
mm.	0.9	2.0
in.	0.04	0.08

[https://www.lemo.com/int\\_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html](https://www.lemo.com/int_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html)

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

# Recommended By Lemo

## Tools

---

Crimp tool

[DPC.91.701.V](#)

[https://www.lemo.com/int\\_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html](https://www.lemo.com/int_en/solutions/redel/redel-p-push-pull/egg-3p-661-zzy.html)

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.