PJG.138.AB





Image for illustrative purpose only

Summary

Request a quote


Catalog	
Gender	Standard
Locking system	Push-pull
Size	1P
Series	REDEL P - Push-Pull

Technical details

Electrical Configuration

Gender	Standard	
Form & Material		
Shell style / Model id	PJ - Straight disposable plug	
Housing material	ABS (Acrylonitrile Butadiene Styrene), white	
Locking system	Push-pull	
Keying	G: 1 key (alpha=0, plug: male contacts, receptacle: female contacts)	
Weight	1.06 g	
Environment		
Technical domain	Energy and Industrial, Medical, Test and Measurement, Transportation, Aerospace and UAV	
Environmental sealing (IP rating)	IP50	
Temperature range	-30°C / +90°C	
Cable fixation		
Cable termination protection	Standard back nut (no additional protection)	
Fixation type	Cable collet	

Drawings





Dimensions

	Α	С	L
mm.	14	3.8	24
in.	0.55	0.15	0.94

$\underline{https://www.lemo.com/int_en/solutions/redel/redel-p-push-pull/pjg-138-ab.html}$

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.